


HERI Intra Oral Scanbody

Digital Implant Technology HERI Scanbody




HERI Intra-Oral Scanbody



- Biocompatible **Titanium (Ti-6Al-4V ELI)** from **CARPENTER Co.** guarantees durability which can be autoclavable and reusable.
- **Special coating** allows to scan without any scan spray.
- Provides with two different sizes. - **Short(7.5mm) / Long(11.5mm)**
- Consistent performance and **visible in x-rays.**
- **Various Implant system** available.
- **Highly precise Geo library** is provided for CAD s/w. (3shape, exocad, Dental Wings)
- **Customized Abutment Design** with CNC or Premilled abutment is available
- **Zirconia prosthesis design** with Geo Link.

GMS Short(7.5mm) GMS Long(11.5mm)



Designated tool allows to find position of interface easily.


Inner thread

Square shape

Rectangular shape

- **Easy to verify implant system by laser marking code**
- Matching position provided
- Identify the size of scan body by D-cut appearance
- Enhanced library matching with D-cut length scan data

Clinical case 1



Clinical case 2









판매원  **HERI**[®]

(주)헤리 www.heri.co.kr herimall@naver.com
 서울시 강남구 강남대로 354, 503호
 TEL. 02 3477 2801, FAX. 02 553 1707







HERI Scanbody List



Osstem Implant TS (Compatible with Dio UF Regular)

Connection \ Length	11.5mm (Long)	7.5mm (Short)
Mini	 SUM GMS-SUML	 SUM GMS-SUMS
Standard	 SURO GMS-SUROL	 SURO GMS-SUROS





GMS Guide Driver	
	1,20 Hex GMST-120H53
	1,20 Hex GMST-120H65



Osstem Implant US

Connection \ Length	11.5mm (Long)	7.5mm (Short)
Mini	 EXM GMS-EXML	 EXM GMS-EXMS
Standard	 EXR GMS-EXRL	 EXR GMS-EXRS
Wide	 EXW GMS-EXWL	 EXW GMS-EXWS



GMS Guide Driver	
	1,20 Hex GMST-120H53
	1,20 Hex GMST-120H65

Osstem Implant SS

Connection \ Length	10mm (Long)	7.5mm (Short)
Regular	 ISR GMS-ISRL	 ISR GMS-ISRS
Wide	 ISW GMS-ISWL	 ISW GMS-ISWS



GMS Guide Driver	
	1,20 Hex GMST-120H65
	1,20 Hex GMST-120H65

Dentium Super-Line (Compatible with Megagen AnyOne & Dentis OneQ)

Connection \ Length	11.5mm (Long)	7.5mm (Short)
Universal	 DER GMS-DERL	 DER GMS-DERS



GMS Guide Driver	
	1,27 Hex GMST-127H65

Megagen AnyRidge

Connection \ Length	11.5mm (Long)	7.5mm (Short)
Universal	 MARR GMS-MARRL	 MARR GMS-MARRS

GMS Guide Driver	
	1,20 Hex GMST-120H65

Neo Implant IS

Connection \ Length	11.5mm (Long)	7.5mm (Short)
Universal	 DERN GMS-DERNL	 DERN GMS-DERNS

GMS Guide Driver	
	1,20 Hex GMST-120H65

Strumann Bone Level

Connection \ Length	11.5mm (Long)	7.5mm (Short)
NC	BLM GMS-BLML	BLM GMS-BLMS
RC	BLR GMS-BLRL	BLR GMS-BLRS

GMS Guide Driver	
	Torx GMST-ST53
	Torx GMST-ST65

Strumann Tissue Level

Connection \ Length	10mm (Long)	7.5mm (Short)
RN	ITR GMS-ITRL	ITR GMS-ITRS
WN	ITW GMS-ITWL	ITW GMS-ITWS

GMS Guide Driver	
	Torx GMST-ST65
	Torx GMST-ST65

Noble Biocare Active

Connection \ Length	11.5mm (Long)	7.5mm (Short)
NP	ACN GMS-ACNL	ACN GMS-ACNS
RP	ACR GMS-ACRL	ACR GMS-ACRS
WP	ACW GMS-ACWL	ACW GMS-ACWS

GMS Guide Driver	
	Unigrip GMST-NB53
	Unigrip GMST-NB65
	Unigrip GMST-NB65

Astra Tech Osseospeed

Connection \ Length	11.5mm (Long)	7.5mm (Short)
Aqua (3.5 / 4.0)	ASR GMS-ASRL	ASR GMS-ASRS
Lilac (4.5 / 5.0)	ASW GMS-ASWL	ASW GMS-ASWS

GMS Guide Driver	
	1,27 Hex GMST-127H53
	1,27 Hex GMST-127H65

Zimmer Tapered Screw-vent (Compatible with MIS seven 3.75/4.2, 5.0/6.0)

Connection \ Length	11.5mm (Long)	7.5mm (Short)
3.5 MIS seven 3.75/4.2	TSV3 GMS-TSV3L	TSV3 GMS-TSV3S
4.5 MIS seven 5.0/6.0	TSV4 GMS-TSV4L	TSV4 GMS-TSV4S
5.7	TSV5 GMS-TSV5L	TSV5 GMS-TSV5S

GMS Guide Driver	
	1,27 Hex GMST-127H53
	1,27 Hex GMST-127H65
	1,27 Hex GMST-127H65